		<u></u>
•	Application No.	Applicant(s)
Notice of Allowability	10/587,576	NAKAYAMA ET AL.
	Examiner	Art Unit
	Hai H. Huynh	3747
The MAILING DATE of this communication app All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85 NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT F of the Office or upon petition by the applicant. See 37 CFR 1.31	S (OR REMAINS) CLOSED in this a b) or other appropriate communication RIGHTS. This application is subject	pplication. If not included on will be mailed in due course. THIS
1. This communication is responsive to application filed 7-3	<u>1-06</u> .	•
2. ☑ The allowed claim(s) is/are <u>1-15</u> .		
 3. Acknowledgment is made of a claim for foreign priority to a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE noted below. Failure to timely comply will result in ABANDON THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		y complying with the requirements
4. A SUBSTITUTE OATH OR DECLARATION must be subr INFORMAL PATENT APPLICATION (PTO-152) which gives		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR each sheet. Replacement sheet(s) should be labeled as such in		
6. DEPOSIT OF and/or INFORMATION about the deposit attached Examiner's comment regarding REQUIREMENT	osit of BIOLOGICAL MATERIAL FFOR THE DEPOSIT OF BIOLOGIO	must be submitted. Note the CAL MATERIAL.
Attachment(s)		
1. Notice of References Cited (PTO-892)	5. Notice of Informal	Patent Application
2. Notice of Draftperson's Patent Drawing Review (PTO-948)		
3. ☑ Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date <u>7-31-06</u> , 8-29-07	Paper No./Mail D 7.	ate dment/Comment
4. Examiner's Comment Regarding Requirement for Deposit	8. 🛭 Examiner's Staten	nent of Reasons for Allowance
of Biological Material	9.	

Application/Control Number: 10/587,576 Page 2

Art Unit: 3747

Inventorship

1. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

EXAMINER'S AMENDMENT

2. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Linda Saltiel, Registration No. 51122, on November 7, 2007.

The application has been amended as follows:

In The Claim

Claim 1 line 23 delete "premised" and substitute therewith --premixed--.

3. The following is an examiner's statement of reasons for allowance:

Art Unit: 3747

The prior art made of record fails to teach/show compression-attributable-cylinder-interior-gas-state-quantity-change- amount estimation means for estimating the amount of a change in the state quantity of the cylinder interior gas attributable to compression of the cylinder interior gas; and cool-flame-heat-generation-quantity estimation means for estimating a cool-flame-heat-generation-quantity-corresponding value, which is a value corresponding to a heat generation quantity of a cool flame generated prior to autoignition of the premixed gas mixture, wherein -the premixed-gas-mixture-autoignition-start-time estimation means estimates the time at which the premixed gas mixture starts autoignition, on the basis of at least the acquired cylinder interior gas state quantity at the time of start of compression, the estimated compression-attributable interior gas state quantity change amount, and the estimated cool-flame-heat-generation-quantity-corresponding value.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Hai H. Huynh whose telephone number is (571) 272-4844. The examiner can normally be reached on Monday through Thursday from 7:30 am to 6:00 pm.

Application/Control Number: 10/587,576

Art Unit: 3747

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Stephen Cronin can be reached on (571) 272-4536. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Hai H. Huynh Primary Examiner Art Unit 3747 Page 4